IN THE CLAIMS:

1. (Currently Amended) A PKI certificate architecture for a network connected

gaming system, the gaming system including a plurality of gaming machines each having a

plurality of executable software components, wherein each different executable software

component within each gaming machine within the gaming system subject to receive

certification is uniquely associated with a unique identifier and is signed with a separate and

unique PKI certificate, the separate and unique PKI certificate being uniquely identified at least

by the unique identifier, and wherein identical executable software components in different

ones of the plurality of gaming machines of the network connected gaming system are

associated with identical identifiers and are signed with identical PKI certificates.

(Previously Presented) A PKI certificate architecture according to claim 1,

wherein each software component is authorized by a regulatory authority.

3. (Previously Presented) A PKI certificate architecture according to claim 1,

wherein the separate and unique PKI certificate is produced by the certification lab, by the

gaming system supplier or by the trusted party designated by the regulatory authority.

4. (Previously Presented) A PKI certificate architecture according to claim 1,

wherein each software component is code signed by a certification lab, by a gaming system

supplier or by a trusted party designated by the regulatory authority.

5. (Previously Presented) A PKI certificate architecture according to claim 1,

wherein the separate and unique identifier is a certificate field selected from a "Subject" field, an

"issued to" field, a "subject name" field, a "CommonName" field, a "provider" field or a

"publisher" field.

Page 2 of 39

Serial No. 10/789,975

- (Previously Presented) A PKI certificate architecture according to claim 1, wherein the unique identifier comprises at least one of fields and field extensions.
- (Previously Presented) A PKI certificate architecture according to claim 1,
   wherein the unique identifier comprises at least one of a plurality of fields selected from among:
  - a software component part number;
  - a software component major version number;
  - a software component minor version number;
  - a software component build number;
  - a software component revision number;
  - a software component project name;
  - a software component type of software component;
  - a software component language variant;
  - a software component game regulation variant;
  - a software component friendly name;
  - an identification of the certification laboratory, and
  - an identification of the client.
- (Previously Presented) A PKI certificate architecture according to claim 7, wherein the unique identifier is a concatenation of selected identifiers.
- 9. (Previously Presented) A PKI certificate architecture according to claim 1, wherein at least a portion of the unique identifier is reported in the Windows event log upon execution of the software component.

10. (Previously Presented) A PKI certificate architecture according to claim 1,

wherein at least a portion of the unique identifier is reported in the source field of the Windows

event log upon execution of the software component.

11. (Previously Presented) A PKI certificate architecture according to claim 1,

wherein at least a portion of the unique identifier is reported in the Windows event log upon

execution of the software component in a predetermined event log bin upon execution of the

software component.

12. (Previously Presented) A PKI certificate architecture according to claim 1,

wherein at least a portion of the unique identifier is traceable in at least one of:

source code:

Windows File Properties;

Trusted Inventory;

Windows Event Log;

Software Restriction Policies, and

Certificate Store

13. (Original) A PKI certificate architecture according to claim 1, wherein the

network connected gaming system is connected in at least one of a local area system and wide

area network.

14. (Previously Presented) A PKI certificate architecture according to claim 1,

wherein the network connected gaming system comprises at least one of gaming terminals,

gaming servers and computers.

Page 4 of 39

15. (Previously Presented) A PKI certificate architecture according to claim 1, wherein the unique identifier contains identification information delimited with file-name-allowed non-alphanumeric characters to facilitate human identification, string searches and file

searches.

16. (Previously Presented) A PKI certificate architecture according to claim 1,

wherein a selected set of identification information making up the unique identifier are used for

making up the file name of PKI certificate related files such as \*.CER, \*.P7B and \*.PVK such as

to facilitate human identification, string searches and file searches.

17. (Currently Amended) A method for a network connected gaming system to

prevent unauthorized software components of constituent computers of the gaming system from

executing, the gaming system including a plurality of gaming machines each having a

plurality of executable software components, the method comprising the steps of:

producing a separate and unique PKI certificate for each of the plurality of executable

software component subject to receiving certification within each gaming machine, each

software component subject to receiving certification including a unique identifier;

code signing each <u>executable</u> software component subject to receiving certification with its respective separate and unique PKI certificate, each respective PKI certificate being uniquely

identified at least by a unique identifier that is uniquely associated with the executable software

component such that identical executable software components in different ones of the

plurality of gaming machines of the network connected gaming system are associated with

identical identifiers and are code signed with identical PKI certificates, and

Page 5 of 39

configuring software restriction policy certificate rules to allow execution of only those

executable software components whose code signed PKI certificate is determined to be

authorized.

18. (Previously Presented) A method according to claim 17, further comprising the

step of configuring software restriction policy rules to prevent execution of unauthorized

software components.

19. (Previously Presented) A method according to claim 17, further comprising the

step of configuring software restriction policy rules to prevent execution of all not explicitly

authorized software components.

20. (Currently Amended) A method for a network connected gaming system to

enable only authorized software components of constituent computers of the gaming system to

execute, comprising the steps of:

configuring a separate software restriction policy for each authorized software component

in each of the constituent computers of the gaming system, and

enforcing the software restriction policy for each authorized software component such

that the each authorized software component in each of the constituent computers of the

gaming system must be authorized to run by its associated separate software restriction

<u>policy</u>.

21. (Previously Presented) A method according to claim 20, wherein the authorized

software components are mandated by a regulatory body.

Page 6 of 39

22. (Currently Amended) A method for a network connected gaming system to enable only authorized software components of constituent computers of the gaming system to execute, comprising the stens of:

configuring a separate and unique certificate software restriction policy for each authorized executable software component of each of the constituent computers of the gaming system such that the each authorized executable software component in each of the constituent computers of the gaming system must be authorized to run by its associated separate software restriction policy;

configuring a path software restriction policy to prevent unauthorized software components from executing;

configuring a path software restriction policy to prevent non-explicitly authorized software components from executing;

enforcing the certificate software restriction policies policy configured for each of the

authorized executable software components of each of the constituent computers of the

gaming system, and

enforcing the path software restriction policies.

- 23. (Previously Presented) A method according to claim 22, wherein the authorized software components are mandated by a regulatory body.
- 24. (Currently Amended) A method for a network connected gaming system to enable only authorized software components of constituent computers of the gaming system to execute, the gaming system including a plurality of gaming machines each having a plurality of executable software components, the method comprising the steps of:

producing a separate and unique PKI certificate for each of the plurality of executable

software component within the gaming system subject to receive certification, each respective

PKI certificate being associated with a unique identifier that is uniquely associated with the

software component such that identical executable software components in different ones of

the plurality of gaming machines of the network connected gaming system are associated

with identical identifiers and are code signed with identical PKI certificates;

code signing each software component subject to receive certification with its respective

separate and unique PKI certificate;

configuring a certificate software restriction policy for each of the respective separate and

unique PKI certificates, and

enforcing the certificate software restriction policy for each of the respective separate and

unique PKI certificates.

25. (Currently Amended) A method for downloading authorized executable

software components and allowing execution of downloaded authorized executable software

components of eonstituent of a plurality of eomputers gaming machines of a network

connected gaming system, comprising the steps of:

for each of the plurality of gaming machines of the network connected gaming

system:

code signing each authorized <u>executable</u> software component with a separate PKI

certificate that is unique to the authorized software component such that identical

executable software components in different ones of the plurality of gaming

machines of the network connected gaming system are code signed with identical

PKI certificates;

Page 8 of 39

Serial No. 10/789,975

packaging the code signed authorized software components into an installation package;

configuring install policies to install each code signed authorized <u>executable</u> software component contained in the installation package;

configuring certificate rule policies to allow execution of the installed code signed authorized <a href="executable">executable</a> software component;

configuring enforcement of the policies.

 (Withdrawn) A method for a network connected gaming system to enable selective execution of at least one authorized software component, comprising the steps of:

configuring Software Restriction Policies for the at least one authorized software component at a predetermined time;

unrestricting the Software Restriction Policies for the at least one authorized software component at a predetermined time;

enabling a link for the Software Restriction Policies for the at least one authorized software component at a predetermined time;

checking for a change of the Software Restriction Policies and if there is no policy change then looping to the beginning of this step, and

enforcing the change of the Software Restriction Policies at a predetermined time.

27. (Withdrawn) A method for a network connected gaming system according to claim 26, wherein the checking step includes checking for the change of the Software Restriction Policies whenever a predetermined timeout has expired subsequent to the player balance reaching zero and if there is no policy change then looping to the beginning of this step.

claim 26, further comprising the step of displaying a list of authorized software to the player for

selection.

29. (Withdrawn) A method for a network connected gaming system according to

claim 26, wherein a rule for the Software Restriction Policies is at least one of certificate rule,

path rule, hash rule, Internet zone rule and registry path rule.

30. (Withdrawn) A method for a network connected gaming system according to

claim 26, wherein the network connected gaming system is connected in at least one of a local

area system and a wide area network.

31. (Withdrawn) A method for a network connected gaming system according to

claim 26, wherein the network connected gaming system comprises at least one of gaming

terminals and gaming servers.

32. (Withdrawn) A method for a network connected gaming system according to

claim 26, wherein the checking step includes executing the RegisterGPNotification function.

33. (Withdrawn) A method for a network connected gaming system according to

claim 26, wherein the checking step is bypassed.

34. (Withdrawn) A method for a network connected gaming system according to

claim 26, wherein the enforcing step includes executing the gpupdate function.

35. (Withdrawn) A method for a network connected gaming system according to

claim 26, wherein the enforcing step includes executing the gpupdate function followed by a

reboot.

Page 10 of 39

claim 26, wherein the enforcing step includes executing the RefreshPolicy or RefreshPolicyEx

function.

37. (Withdrawn) A method for a network connected gaming system according to

claim 26, wherein the enforcing step includes executing the RefreshPolicy or RefreshPolicyEx

function followed by a reboot.

38. (Withdrawn) A method for a network connected gaming system according to

claim 26, further comprising the steps of:

configuring Software Installation Policies for the at least one authorized software

component at a predetermined time;

enabling a link for the software installation policies for the at least one authorized

software component at a predetermined time;

checking for a change of the Software Installation Policies and if there is no policy

change then looping to the beginning of this step, and

enforcing the change of the software installation policies.

39. (Withdrawn) A method for a network connected gaming system according to

claim 38, wherein the checking step includes checking for the change of the software installation

policies whenever a predetermined timeout has expired subsequent to the player balance

reaching zero and if there is no policy change then looping to the beginning of this step.

40. (Withdrawn) A method for a network connected gaming system according to

claim 38, wherein the checking step includes executing the RegisterGPNotification function.

Page 11 of 39

claim 38, wherein the checking step is bypassed.

42. (Withdrawn) A method for a network connected gaming system according to

claim 38, wherein the enforcing step includes executing the gpupdate function.

43. (Withdrawn) A method for a network connected gaming system according to

claim 38, wherein the enforcing step includes executing the gpupdate function followed by a

reboot.

44. (Withdrawn) A method for a network connected gaming system according to

claim 38, wherein the enforcing step includes executing the RefreshPolicy or RefreshPolicyEx

function.

45. (Withdrawn) A method for a network connected gaming system according to

claim 38, wherein the enforcing step includes executing the RefreshPolicy or RefreshPolicyEx

function followed by a reboot.

46. (Withdrawn) A method for a network connected gaming system according to

claim 38, further comprising the step of displaying a list of authorized software to the player for

selection.

47. (Withdrawn) A method for a network connected gaming system according to

claim 26, further comprising the initial steps of:

monitoring the game activity of players, and

choosing the at least one authorized software components in order to adapt game offering

on the gaming terminals.

Page 12 of 39

claim 47, wherein the monitoring and choosing steps are carried out in a close-loop fashion such

as to optimize player game activity in real-time.

49. (Withdrawn) A method for a network connected gaming system to enable

selective availability of games on gaming terminals, comprising the steps of:

installing a plurality of game software on a selected set of gaming terminals;

choosing a selected set of installed game software to offer to players of the gaming

terminals;

a first activating the chosen selected set of installed game software on a selected set of

gaming terminals;

monitoring the game activity of the players on a selected set of gaming terminals;

modifying the selected set of installed game software to offer to players;

a second activating the modified selected set of installed game software on a selected set

of gaming terminals;

50. (Withdrawn) A method for a network connected gaming system according to

claim 49, wherein the monitoring, modifying and activating steps are executed in a close-loop

fashion such as to optimize player game activity in real-time.

51. (Withdrawn) A method for a network connected gaming system according to

claim 49, further comprising the step of displaying a list of authorized software to the player for

selection.

Page 13 of 39

52. (Withdrawn) A method for a network connected gaming system according to claim 49, further comprising a step of downloading at least one authorized game software to a selected set of the of gaming terminals:

serected set of the of gaming terminals,

53. (Withdrawn) A method for a network connected gaming system to enable

selective availability of games on PC based gaming terminals, comprising the steps of:

selecting game software to be made available to players on a selected set of gaming terminals:

terminating all gaming software on a selected set of gaming terminals to transform each

gaming terminals into a generic PC communicating in the network connected gaming system;

downloading via the network the selected game software to the generic PCs, and

starting the game software to transform the generic PCs into gaming terminals.

54. (Withdrawn) A method for a network connected gaming system according to claim 53, further comprising the step of displaying an "out-of-service" message or equivalent message to the player while the gaming terminal is transformed into a generic PC.

55. (Withdrawn) A method for a network connected gaming system according to claim 53, further comprising the step of displaying a list of software to the player for selection.

 (Withdrawn) A method for a network connected gaming system according to claim 53, wherein the game software is authorized by a regulatory authority.

 (Withdrawn) A method for a network connected gaming system according to claim 53, wherein booting is at least one of cold-booting, hot-booting and power-on booting.

Page 14 of 39

claim 53, wherein the PC based gaming terminals run a version of the Microsoft Windows

operating system

59. (Withdrawn) A method for a network connected gaming system according to

claim 53, wherein the step of downloading game software uses the Software Installation Policy

(SIP) feature of the Windows operating system.

60. (Withdrawn) A method for a network connected gaming system according to

claim 53, wherein the step of downloading game software uses the Microsoft SMS Systems

Management Server.

61. (Withdrawn) A method for a network connected gaming system according to

claim 53, further comprising the step of preventing unauthorized software from executing using

the Software Restriction Policy feature.

62. (Withdrawn) A method for a network connected gaming system to enable

selective availability of games on PC based gaming terminals, comprising the steps of:

selecting game software to be made available to players on a selected set of gaming

terminals;

terminating all gaming software on a selected set of gaming terminals to transform each

gaming terminal into a generic PC communicating in the network connected gaming system;

booting the generic PCs;

starting an operating system on the generic PCs;

downloading via the network the selected game software to the generic PCs, and

starting the game software to transform the generic PCs into gaming terminals.

Page 15 of 39

Serial No. 10/789,975

claim 62, further comprising the step of displaying an "out-of-service" message or equivalent

message to the player while the gaming terminal is transformed into a generic PC.

64. (Withdrawn) A method for a network connected gaming system according to

claim 62, further comprising the step of displaying a list of software to the player for selection.

65. (Withdrawn) A method for a network connected gaming system according to

claim 62, wherein the game software is authorized by a regulatory authority.

66. (Withdrawn) A method for a network connected gaming system according to

claim 62, wherein booting is at least one of cold-booting, hot-booting and power-on booting.

67. (Withdrawn) A method for a network connected gaming system according to

claim 62, wherein PC based gaming terminals run a version of the Microsoft Windows operating

system.

68. (Withdrawn) A method for a network connected gaming system according to

claim 62, wherein the step of downloading game software uses the Software Installation Policy

feature of the Windows operating system.

69. (Withdrawn) A method for a network connected gaming system according to

claim 62, further comprising the step of preventing unauthorized software from executing using

the Software Restriction Policy feature.

70. (Withdrawn) A method for a network connected gaming system according to

claim 62, wherein the step of downloading game software uses the Microsoft SMS Systems

Management Server.

Page 16 of 39

71. (Previously Presented) A method for a network connected gaming system to prevent unauthorized executable files of constituent computers of the gaming system from

executing, comprising the steps of:

packaging the authorized executable files into a code signed installation package;

configuring certificate rule policies to enable execution of the code signed installation

package;

enforcing the policies, and

executing the code signed installation package upon every startup of any of the

constituent computers of the gaming system or upon a command, wherein execution of any

authorized executable file is predicated upon successfully executing the code signed installation

package into which the authorized executable file is packaged.

72. (Original) A method according to claim 71, wherein the code signing uses a

separate and unique PKI certificate for each installation package.

(Previously Presented) A method for a network connected gaming system to

prevent unauthorized executable code of constituent computers of the gaming system from

executing, comprising the steps of:

73.

packaging the authorized executable files into a code signed installation package;

configuring certificate rule policies to enable execution of the code signed installation

package;

configuring enforcement of the policies, and

re-installing the code signed installation package at every startup of any of the constituent

computers of the gaming system or upon a command, wherein execution of any authorized

Page 17 of 39

Serial No. 10/789,975

executable file is predicated upon successfully executing the code signed installation package

into which the authorized executable file is packaged.

74. (Previously Presented) A method according to claim 73, wherein the code

signing uses a separate and unique PKI certificate for each installation package.

75. (Previously Presented) A method for a network connected gaming system to

prevent data of unauthorized non-executable files of constituent computers of the gaming system

from affecting game outcome, comprising the steps of:

packaging the non-executable files into a code signed installation package;

configuring certificate rule policies to enable execution of the code signed installation

package;

configuring enforcement of the policies, and

executing the code signed installation package upon every startup of any of the

constituent computers of the gaming system or upon a command.

76. (Previously Presented) A method according to claim 75, wherein the code

signing uses a separate and unique PKI certificate for each installation package.

77. (Previously Presented) A method for trusting at least one authorized non-

executable software component certified to comply with regulatory requirements downloaded

into a network connected gaming system, the gaming system including a plurality of computers,

the method comprising the steps of:

packaging the at least one non-executable file into at least one code signed installation

package;

Page 18 of 39

configuring certificate rule policies to enable execution of the at least one code signed

installation package;

configuring enforcement of the policies, and

re-installing the at least one code signed installation package at every startup of any of

the constituent computers of the gaming system or upon a command.

78. (Previously Presented) A method according to claim 77, wherein the at least one

code signed package includes a separate and unique PKI certificate for each of the at least one

installation package.

79. (Currently Amended) A method for scheduling at least one authorized

executable software component installed in a network connected gaming system, the gaming

system including a plurality of gaming machines, the method comprising the steps of:

packaging at least one authorized non-executable file that eontrol controls the

scheduling of the at least one authorized executable software component into at least one code

signed installation package, each of the at least one code signed installation packages including a

predetermined PKI certificate;

configuring certificate rule policies to enable execution of the at least one code signed

installation package in selected ones of the plurality of gaming machines; and

configuring enforcement of the certificate rule policies; and

downloading the at least one code signed installation package into the selected ones of

the plurality of gaming machines;

executing the at least one code signed installation package.

80. (Canceled)

Page 19 of 39

Serial No. 10/789,975

81. (Previously Presented) A method for scheduling at least one authorized

executable software component according to claim 79, further comprising the step of re-

installing the at least one code signed installation package at every startup of any of the

constituent gaming machines of the gaming system or upon a command.

82. (Currently Amended) An automated platform to enable an on-going regulatory

certification of a plurality of authorized software components of a network connected gaming

system including a plurality of computers, the method comprising:

a reference platform representative of a target network connected gaming system and

comprising a software-building environment located at a manufacturer or subcontractor of the

software components;

a certification platform located at a regulatory certification authority, the certification

platform being substantially identical to the reference platform, and

code-signing means for enabling the manufacturer or subcontractor to associate a

separate and unique PKI certificate with each authorized software component subject to

regulatory certification such identical authorized software components subject to regulatory

certification in different ones of the plurality of gaming machines of the network connected

gaming system are code signed with identical PKI certificates.

83. (Previously Presented) An automated platform according to claim 82, further

comprising a secure communication link between the reference platform and the certification

platform for enabling manufacturer or designated subcontractors to remotely configure the

software building environment on the certification platform.

Page 20 of 39

84. (Previously Presented) An automated platform according to claim 82, wherein

the authorized software components to be downloaded to the network connected gaming system

are tested by the certification laboratory.

85. (Previously Presented) An automated platform according to claim 82, wherein

the authorized software components to be downloaded to the network connected gaming system

are compiled by the certification laboratory.

86. (Previously Presented) An automated platform according to claim 82, further

comprising a secure communication link between the reference platform and the certification\_for

enabling remote assistance.

87. (Previously Presented) An automated platform according to claim 82, further

comprising a secure communication link between the reference platform and the certification\_for

enabling users to carry out certification steps from a remotely located computer.

88. (Original) An automated platform according to claim 82, wherein the code

signing means comprises a certificate authority under control of the manufacturer for generating

certificates.

89. (Original) An automated platform according to claim 82, wherein the code

signing means comprises a certificate authority under control of the regulatory certification

authority for generating certificates.

90. (Previously Presented) An automated platform according to claim 82, further

comprising means for maintaining the software-building environment of the reference platform

and the software-building environment of the certification platform synchronized.

Page 21 of 39

Serial No. 10/789,975

 (Withdrawn) A method for a gaming terminal in a network connected gaming system to generate a list of authorized games available to the players comprising the steps of:

enforcing Software Restriction Policy for preventing non-authorized software components from executing:

enforcing Software Restriction Policy for enabling execution of a selected set of authorized games;

attempting to execute each game, and

adding games that have not been denied execution to a menu list.

- 92. (Withdrawn) A method for a network connected gaming system-according to claim 91, further comprising the step of removing games from the menu list for games that have been denied execution.
- 93. (Withdrawn) A method for a network connected gaming system according to claim 91, further comprising the step of removing games from the menu list for games whose executable file are not found.
- 94. (Currently Amended) A method for a gaming machine in a network connected gaming system to generate a menu of authorized games available to players, the method comprising the steps of:

generating a separate and unique code signed PKI certificate for a predetermined software module of each authorized game;

generating an executable companion file for each authorized game, wherein the executable companion file is configured to execute faster than the authorized game;

code signing both the predetermined software module and its executable companion file with the generated PKI certificate:

enforcing software restriction policy rules for preventing non-authorized software

components from executing;

enforcing software restriction policy rules for enabling execution of selected ones of the authorized games;

attempting to execute each executable companion file, and

adding only those games to the menu of authorized games whose executable companion file has not been denied execution by the software restriction policy rules.

95. (Previously Presented) A method according to claim 94 further comprising the step of removing games from the menu of authorized games whose companion file is denied execution by the software restriction policy rules.

96. (Previously Presented) A method according to claim 94, further comprising the step of removing games from the menu of authorized games whose companion executable file is not found.

97. (Previously Presented) A method for scheduling at least one authorized executable software component according to claim 79, wherein the code signing uses a separate and unique PKI certificate for each of the at least one installation package.

Page 23 of 39